




SOLID WOODEN FLOORING



BURMA TEAK



COMMERCIAL TEAK



GHANA TEAK



IPE



WALNUT



WESTERN RED CEDAR



MAPLE



OAK



TECHNICAL SPECIFICATIONS

1. DIMENSIONS	
WOOD FLOORS	LENGTH : 1'.3" TO 3'.00 FEET WIDTH : 85 MM TO 110 MM THICKNESS : 20 MM
WOOD SPECIES USED :	BURMA TEAK , COMMERCIAL TEAK, GHANA TEAK ,WALNUT AND OAK
SPORTS FLOORING	LENGTH: 1'.3" TO 3'.00 FEET WIDTH : 55 MM TO 90 MM THICKNESS : 20 MM & 21 MM
WOOD SPECIES USED :	MAPLE , COMMERCIAL TEAK AND GHANA TEAK
DECK WOOD	LENGTH: 3.00 TO 6.00 FEET WIDTH : 90 MM TO 140 MM THICKNESS : 20 MM & 25 MM
WOOD SPECIES USED :	IPE, BURMA TEAK AND WESTERN RED CEDAR
2. CONSTRUCTION	<ul style="list-style-type: none"> • KD WOOD (SEASONED WOOD) • 100% SOLID WOOD • PEFC AND FSC CERTIFIED WOOD
3. INSTALLATION SYSTEM	TOUNGE AND GROOVE SYSTEM
4. APPLICATION	INTERIOR APPLICATION EXTERIOR APPLICATION



SOLID WOOD FLOORS



SPORTS FLOORING



DECKING FLOORS



WORLD OF WOOD

CONTACT DETAILS

MOBILE NO: 9152732646, 9820491566

TELEPHONE NO: 022 28342899

EMAIL ADDRESS

ambicatim009@yahoo.co.in

WEBSITE

www.worldofwood.co.in

SHOWROOM ADDRESS

Shop no 47, New Nagardas Road, Near Pinky Cinema,
Andheri East Mumbai - 400069